



Lexmark C792de



550-Sheet Drawer




550-Sheet Drawer
2,000-Sheet High-Capacity Feeder




Spacer




Caster Base (Required for floor standing configuration)




500-Sheet Offset Stacker



500-Sheet Staple Finisher



500-Sheet Staple Punch Finisher



5-Bin Mailbox



Eco-responsible printing

Printing responsibly means everyone wins – your business, your budget and the environment. Lexmark’s award-winning products are designed for ease of use, high quality output and reliable performance, with innovative capabilities that help you minimize the number of cartridges you use over the life of the printer and conserve paper and energy. Our goal is to design, package and deliver innovative products and solutions in an environmentally responsible manner.



Lexmark C792e

Part #	Model	Part #	Model
47B0000	Lexmark C792e	47B0111	C792, X792 2000-Sheet High Capacity Feeder
Part #	Laser Toner/Print Cartridge	47B1101	C792, X792 5-Bin Mailbox
C792X1KG	C792 Black Extra High Yield Return Program Print Cartridge	47B1102	C792, X792 500-Sheet Offset Stacker
C792X1CG	C792 Cyan Extra High Yield Return Program Print Cartridge	47B1100	C792, X792 500-Sheet Staple Finisher
C792X1MG	C792 Magenta Extra High Yield Return Program Print Cartridge	47B1103	C792, X792 500-Sheet Staple, Hole Punch Finisher
C792X1YG	C792 Yellow Extra High Yield Return Program Print Cartridge	47B0112	C792, X792 Spacer
C792A1KG	C792, X792 Black Return Program Print Cartridge	47B0113	C792, X792 Banner Media Tray
C792A1CG	C792, X792 Cyan Return Program Print Cartridge	Part #	Furniture
C792A1MG	C792, X792 Magenta Return Program Print Cartridge	47B0114	C792, X792 Caster Base
C792A1YG	C792, X792 Yellow Return Program Print Cartridge	Part #	Extended Warranties
C792X2KG	C792 Black Extra High Yield Print Cartridge	2353754	C792 2-Years Total Onsite Service, Next Business Day
C792X2CG	C792 Cyan Extra High Yield Print Cartridge	2353755	C792 3-Years Total Onsite Service, Next Business Day
C792X2MG	C792 Magenta Extra High Yield Print Cartridge	2353756	C792 4-Years Total Onsite Service, Next Business Day
C792X2YG	C792 Yellow Extra High Yield Print Cartridge	2353757	C792 5-Years Total Onsite Service, Next Business Day
C792X77G	C792, X792 Waste Toner Bottle	2353758	C792 1-Year Onsite Service Renewal, Next Business Day
25A0013	Staple Cartridges (3 pack)	Part #	Installation Service
Part #	Paper Handling	2353761	C792 Install, De-Install Service
47B0110	C792, X792 550-Sheet Drawer		

In the box
Lexmark C792e color laser printer, Up to 11,000*-page Cyan, Magenta, Yellow Starter Print Cartridges, Up to 8,500*-page Black Starter Print Cartridge, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty, Lexmark Cartridge Collection Program information

Lexmark C792de

Part #	Model	Part #	Model
47B0001	Lexmark C792de	47B0111	C792, X792 2000-Sheet High Capacity Feeder
Part #	Laser Toner/Print Cartridge	47B1101	C792, X792 5-Bin Mailbox
C792X1KG	C792 Black Extra High Yield Return Program Print Cartridge	47B1102	C792, X792 500-Sheet Offset Stacker
C792X1CG	C792 Cyan Extra High Yield Return Program Print Cartridge	47B1100	C792, X792 500-Sheet Staple Finisher
C792X1MG	C792 Magenta Extra High Yield Return Program Print Cartridge	47B1103	C792, X792 500-Sheet Staple, Hole Punch Finisher
C792X1YG	C792 Yellow Extra High Yield Return Program Print Cartridge	47B0112	C792, X792 Spacer
C792A1KG	C792, X792 Black Return Program Print Cartridge	47B0113	C792, X792 Banner Media Tray
C792A1CG	C792, X792 Cyan Return Program Print Cartridge	Part #	Furniture
C792A1MG	C792, X792 Magenta Return Program Print Cartridge	47B0114	C792, X792 Caster Base
C792A1YG	C792, X792 Yellow Return Program Print Cartridge	Part #	Extended Warranties
C792X2KG	C792 Black Extra High Yield Print Cartridge	2353754	C792 2-Years Total Onsite Service, Next Business Day
C792X2CG	C792 Cyan Extra High Yield Print Cartridge	2353755	C792 3-Years Total Onsite Service, Next Business Day
C792X2MG	C792 Magenta Extra High Yield Print Cartridge	2353756	C792 4-Years Total Onsite Service, Next Business Day
C792X2YG	C792 Yellow Extra High Yield Print Cartridge	2353757	C792 5-Years Total Onsite Service, Next Business Day
C792X77G	C792, X792 Waste Toner Bottle	2353758	C792 1-Year Onsite Service Renewal, Next Business Day
25A0013	Staple Cartridges (3 pack)	Part #	Installation Service
Part #	Paper Handling	2353761	C792 Install, De-Install Service
47B0110	C792, X792 550-Sheet Drawer		

In the box
Lexmark C792de color laser printer, Up to 11,000*-page Cyan, Magenta, Yellow Starter Print Cartridges, Up to 8,500*-page Black Starter Print Cartridge, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty, Lexmark Cartridge Collection Program information

Lexmark C792dte

Part #	Model	Part #	Model
47B0002	Lexmark C792dte	47B0111	C792, X792 2000-Sheet High Capacity Feeder
Part #	Laser Toner/Print Cartridge	47B1101	C792, X792 5-Bin Mailbox
C792X1KG	C792 Black Extra High Yield Return Program Print Cartridge	47B1102	C792, X792 500-Sheet Offset Stacker
C792X1CG	C792 Cyan Extra High Yield Return Program Print Cartridge	47B1100	C792, X792 500-Sheet Staple Finisher
C792X1MG	C792 Magenta Extra High Yield Return Program Print Cartridge	47B1103	C792, X792 500-Sheet Staple, Hole Punch Finisher
C792X1YG	C792 Yellow Extra High Yield Return Program Print Cartridge	47B0112	C792, X792 Spacer
C792A1KG	C792, X792 Black Return Program Print Cartridge	47B0113	C792, X792 Banner Media Tray
C792A1CG	C792, X792 Cyan Return Program Print Cartridge	Part #	Furniture
C792A1MG	C792, X792 Magenta Return Program Print Cartridge	47B0114	C792, X792 Caster Base
C792A1YG	C792, X792 Yellow Return Program Print Cartridge	Part #	Extended Warranties
C792X2KG	C792 Black Extra High Yield Print Cartridge	2353754	C792 2-Years Total Onsite Service, Next Business Day
C792X2CG	C792 Cyan Extra High Yield Print Cartridge	2353755	C792 3-Years Total Onsite Service, Next Business Day
C792X2MG	C792 Magenta Extra High Yield Print Cartridge	2353756	C792 4-Years Total Onsite Service, Next Business Day
C792X2YG	C792 Yellow Extra High Yield Print Cartridge	2353757	C792 5-Years Total Onsite Service, Next Business Day
C792X77G	C792, X792 Waste Toner Bottle	2353758	C792 1-Year Onsite Service Renewal, Next Business Day
25A0013	Staple Cartridges (3 pack)	Part #	Installation Service
Part #	Paper Handling	2353761	C792 Install, De-Install Service
47B0110	C792, X792 550-Sheet Drawer		

In the box
Lexmark C792dte color laser printer, Up to 11,000*-page Cyan, Magenta, Yellow Starter Print Cartridges, 550-Sheet drawer, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty, Lexmark Cartridge Collection Program information

Lexmark C792dhe

Part #	Model	Part #	Model
47B0003	Lexmark C792dhe	47B1102	C792, X792 500-Sheet Offset Stacker
Part #	Laser Toner/Print Cartridge	47B1100	C792, X792 500-Sheet Staple Finisher
C792X1KG	C792 Black Extra High Yield Return Program Print Cartridge	47B1103	C792, X792 500-Sheet Staple, Hole Punch Finisher
C792X1CG	C792 Cyan Extra High Yield Return Program Print Cartridge	47B0113	C792, X792 Banner Media Tray
C792X1MG	C792 Magenta Extra High Yield Return Program Print Cartridge	Part #	Extended Warranties
C792X1YG	C792 Yellow Extra High Yield Return Program Print Cartridge	2353754	C792 2-Years Total Onsite Service, Next Business Day
C792A1KG	C792, X792 Black Return Program Print Cartridge	2353755	C792 3-Years Total Onsite Service, Next Business Day
C792A1CG	C792, X792 Cyan Return Program Print Cartridge	2353756	C792 4-Years Total Onsite Service, Next Business Day
C792A1MG	C792, X792 Magenta Return Program Print Cartridge	2353757	C792 5-Years Total Onsite Service, Next Business Day
C792A1YG	C792, X792 Yellow Return Program Print Cartridge	2353758	C792 1-Year Onsite Service Renewal, Next Business Day
C792X2KG	C792 Black Extra High Yield Print Cartridge	Part #	Installation Service
C792X2CG	C792 Cyan Extra High Yield Print Cartridge	2353761	C792 Install, De-Install Service
C792X2MG	C792 Magenta Extra High Yield Print Cartridge		
C792X2YG	C792 Yellow Extra High Yield Print Cartridge		
C792X77G	C792, X792 Waste Toner Bottle		
25A0013	Staple Cartridges (3 pack)		
Part #	Paper Handling		
47B1101	C792, X792 5-Bin Mailbox		

In the box
Lexmark C792dhe color laser printer, Up to 11,000*-page Cyan, Magenta, Yellow Starter Print Cartridges, Up to 8,500*-page Black Starter Print Cartridge, Hard disk, 3x 550-Sheet drawers, Caster base, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty, Lexmark Cartridge Collection Program information

Lexmark C792 Family color laser printers

Peripheral Company, Inc
800-321-7326
SALES@PECOINC.COM



Lexmark C792e

Lexmark C792de

Lexmark C792dte

Lexmark C792dhe

Printing				
Print Technology	Color Laser			
Print Speed (Letter, Black): Up to	50 ppm			
Print Speed (Letter, Color): Up to	50 ppm			
Time to First Page (Black)	As fast as 8 seconds			
Time to First Page (Color)	As fast as 8.5 seconds			
Print Resolution, Black	1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)			
Print Resolution, Color	1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)			
Memory, Standard	512 MB	512 MB	512 MB	1024 MB
Memory, Maximum	1536 MB			
Hard Disk	Option available	Option available	Option available	Included in configuration
Print Noise Level, Operating	52 dBA			
Noise Level, Idle	29 dBA			
Maximum Monthly Duty Cycle: Up to	150000 pages per month			
Recommended Monthly Page Volume	2500 - 17000 pages			
Supplies				
Supplies Yield	6,000*-page (CMYK) Print Cartridges, 20,000*-page (CMYK) Extra High Yield Print Cartridges			
(*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.)				
Paper Handling				
Paper Handling Standard	500-Sheet Output Bin, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray	500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray	500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Drawer, 550-Sheet Input Tray	500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray, 3 x 550-Sheet Drawers
Paper Handling Optional	5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., 2,000-Sheet High-Capacity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher	5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., 2,000-Sheet High-Capacity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher	5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-Capacity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher	5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher
Paper Input Capacity, Standard: Up to	650 pages 20 lb or 75 gsm bond	650 pages 20 lb or 75 gsm bond	1200 pages 20 lb or 75 gsm bond	2300 pages 20 lb or 75 gsm bond
Paper Input Capacity, Maximum: Up to	3200 pages 20 lb or 75 gsm bond	3200 pages 20 lb or 75 gsm bond	3200 pages 20 lb or 75 gsm bond	2300 pages 20 lb or 75 gsm bond
Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Glossy Paper, Integrated Labels, Paper Labels, Plain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock & Label Guide, Outdoor Media, Banner Paper			
General				
Function	Color Printing			
Product Warranty	1-Year Onsite Service, Next Business Day			
Product Certifications	www.lexmark.com			
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 3048 Meters (10,000 Feet)			
Size (in. - H x W x D)	20.3 x 22.3 x 20.2 in.	20.3 x 22.3 x 20.2 in.	25.5 x 22.3 x 20.2 in.	40.5 x 26.1 x 25.9 in.
Weight (lb.)	110 lb.	110 lb.	131 lb.	231 lb.
Furniture				
Caster Base	Optional, (Required for floor standing configuration)	Optional, (Required for floor standing configuration)	Optional, (Required for floor standing configuration)	(Included)
Spacer	Available	Available	Available	

Recommended Monthly Page Volume

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Maximum Monthly Duty Cycle

«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Trademarks

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark. Information in this document is subject to change without notice. PANTONE® is a registered trademark of Pantone, Inc. This product features Adobe® Flash® technology. For further information, visit <http://www.adobe.com/software/flash/about/>. AirPrint and the AirPrint logo are trademarks of Apple Inc.



Peripheral Company, Inc.
800-321-PECO (7326)
SALES@PECOINC.COM